# HP Color LaserJet Managed Flow MFP E786z Printer series



#### Powerful, Flexible, Secure,

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers <sup>2</sup> you'll stay secure and simplify fleet management for busy IT pros.



# Unleash peak productivity.

- Experience speed and performance with our 240 ipm <sup>6</sup> duplex scan technology.
- Easily scan and capture text from documents with high accuracy with OCR software, increase productivity with the optional accelerator card.
- Save time by simply scanning once and sending to multiple destinations with customized shortcuts built to eliminate steps and improve accuracy.
- Save time and effort with features that reduce tasks and increase accuracy. Auto-sensing features ensure print and scanning jobs are completed efficiently and accurately.

#### Customizable solutions built to last.

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows. 7
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader support.
- Make color management simple & seamless with our HP Custom Color Manager. Match color output of any document/device combination without the hassle of expensive color matching systems.

## Always on guard with HP Wolf Security. 4

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified <sup>3</sup> to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

# Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content. 8
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic. Printing that puts the planet first
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.

## Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)<sup>1</sup>
- 2. Flatbed scanner handles sheets up to 11x17 in (297 x 432 mm)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- Easy-access USB port<sup>2</sup>
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to A3 (11x17 in)
- 14. 300-sheet dual side ADF supports media sizes up to A3 (11x17 in) (Flow models only)
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Full size keyboard
- 18. Right door access to the print path
- 19. 100-sheet multipurpose tray 1 supports media sizes up to A3 (11x17 in)
- 20. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 21. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3 (11x17 in)



# Series at a glance

ocinco de a glarice					
Model	HP Color LaserJet Managed Flow MFP E786z				
Product number	5QJ94A	5QJ94A (Base) + 8EP56AAE (Speed license)	5QJ94A (Base) + 8EP57AAE (Speed license)		
Print speed (A4 and letter, black and color) <sup>3</sup>	Up to 25 ppm	Up to 30 ppm	Up to 35 ppm		
Scan speed (A4 and letter, black and color)4	120 ppm/240 ipm, simplex/duplex				
Functions	Print, copy, and scan (fax and wireless optional) (all models)				
ADF capacity	200 sheets				
Input capacity	Standard: 1,140 sheets; Maximum: 3,140 sheets (all models)				
Advanced workflow features	HP EveryPage technolog paper color removal, job		ito orientation, auto-tone, auto page-crop, document editing, auto		

## Top features

Get more done faster with printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quadcore processor.

Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. <sup>2</sup> We keep trouble out so you can keep your business running.

Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

## Services and Solutions

Service and Support	U03GVE - HP 1 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E786xx U03GWE - HP 3 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E786xx U03GVE - HP 4 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E786xx U03GVE - HP 5 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E786xx U03GVE - HP 3 year 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03HDE - HP 4 year 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03H1E - HP 5 year 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03H1E - HP 1 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E786xx U03H3E - HP 3 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E786xx (Managed Component Only) U03H3E - HP 3 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E786xx (Managed Component Only) U03H5E - HP 5 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E786xx (Managed Component Only) U03H6E - HP 1 year Post Warranty Next Business Day with DMR Service for Color Laser Jet Managed MFP E786xx U03H7FE - HP 2 year Post Warranty Next Business Day with DMR Service for Color Laser Jet Managed MFP E786xx U03H8PE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03H8PE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03H8PE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03H8PE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03H8PE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03H8PE - HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03H8PE - HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E786xx U03H8PE - HP 2 year PW Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E786xx
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights  Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App  Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer  Administrator's Resource Kit

<sup>2</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
3 An administrator must enable the easy-access USB port before use.
4 Measured using ISDIEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
5 Carn speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
4 HE EveryPage Technology is powered by ultrasonic multi-feed detection.

#### Data sheet | HP Color LaserJet Managed Flow MFP E786z Printer series Accessories & Speed Licenses 155P7A HP LaserJet InnerFinisher 2/3 Hole Punch 155P8A HP LaserJet InnerFinisher 2/4 Hole Punch 190A0A HP Color LaserJet Workgroup Lunar Gray Color Panel 190A6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel 190A7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Lunar Gray Color Panel 190A9A HP LaserJet Workgroup Stand Lunar Gray Color Panel 190B0A HP Color LaserJet Workgroup Comet Red Color Panel 190B6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Comet Red Color Panel 190B7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Comet Red Color Panel 190B9A HP LaserJet Workgroup Stand Comet Red Color Panel 190COA HP Color LaserJet Workgroup Cosmic Green Color Panel 190C6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel 190C7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Cosmic Green Color Panel 190C9A HP LaserJet Workgroup Stand Cosmic Green Color Panel 190D0A HP Color LaserJet Workgroup Constellation Yellow Color Panel 190D6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel 190D7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Constellation Yellow Color Panel **190D9A** HP LaserJet Workgroup Stand Constellation Yellow Color Panel 190F0A HP Color LaserJet Workgroup Aurora Purple Color Panel 190F6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel 190F7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Aurora Purple Color Panel 190F9A HP LaserJet Workgroup Stand Aurora Purple Color Panel 2NR12A HP Removable Hard Drive Enclosure 2TD64A HP Accessibility Kit 3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory 478C2A HP Printing Voice Assistant 4QL32A HP Legic Secure USB Reader 4XN67A Internal USB Expansion Kit 50K14A HP MFP 810 Analog Dual Fax 6GW46A HP LaserJet 2x520 sheet Workgroup Paper Tray/Stand 6GW48A HP LaserJet 2000 sheet Workgroup High Capacity Paper Tray/Stand 6GW49A HP LaserJet Inner Finisher 6GW51A HP LaserJet Booklet Finisher 6GW52A HP LaserJet Workgroup Job Separator 6GW54A HP LaserJet Workgroup Stand 6GW55A HP LaserJet Stapler/Stacker Finisher 6HN30A HP LaserJet Workflow Accelerator Card 6HN31A HP 500GB CCC, FIPS, TAA Hard Disk Drive 7ZA07A HP MFP 811 Analog Dual Fax 7ZA08A HP MFP 800 Analog Single Fax 7ZA09A HP MFP 801 Analog Single Fax 8FP31A HP Jetdirect LAN Accessory 9EQ11A HP 500GB CCC, FIPS Hard Disk Drive B5L31A HP Foreign Interface Harness CC543B HP SmartCard NIPRNet Solution for US Government F8B30A HP SmartCard SIPRNet Solution for US Government X3D03A HP USB Universal Card Reader Y1G10A HP LaserJet Hole Punch 2/3 Accessory Y1G13A HP LaserJet Inner/Booklet Staples Y1G14A HP LaserJet Stapler/Stacker Finisher Staples Y1G22A HP LaserJet Paper Tray Heaters Accessory Y1G23A HP LaserJet Second Exit Accessory Y7C05A HP HIP2 Keystroke Reader Y7C07A HP SIM for HID iClass for HIP2 Reader 8EP56AAE HP Color LaserJet Managed MFP E786 25 to 30ppm License

**8EP57AAE** HP Color LaserJet Managed MFP E786 25 to 35ppm License **8LB46AAE** HP Color LaserJet Managed MFP E786 30 to 35ppm License

<sup>\*</sup> HP LaserJet Workflow Accelerator Card, 6HN30A will be available in January 2023

Functions	Print, copy, scan, fax (optional)				
Print speed <sup>3,4</sup>	Letter Black	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)	
Print Speed	Letter Color	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)	
	A4 Black	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)	
	A4 Color	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)	
	First page out Letter Black	As fast as 11.1 sec	As fast as 9.4 sec (with 8EP56AAE)	As fast as 9.1 sec (with 8EP57AAE)	
	First page out Letter Color	As fast as 13.0 sec	As fast as 11.4 sec (with 8EP56AAE)	As fast as 10.8 sec (with 8EP57AAE)	
	First page out A4 Black First page out A4 Color	As fast as 11.1 sec As fast as 13.0 sec	As fast as 9.4 sec (with 8EP56AAE) As fast as 11.4 sec (with 8EP56AAE)	As fast as 9.1 sec (with 8EP57AAE) As fast as 10.8 sec (with 8EP57AAE)	
Print resolution		1	1		
	Black (best): Up to 1200 x 1200 dpi reduced speed; Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi; Color (best): Up to 1200 x 1200 dpi reduced speed; Color (normal): Up to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi				
Print technology Print cartridges number	Laser; Optical: Normal (600 x 600 4 bit), Best (1200 x 1200 1 bit)				
	4 (1 each black, cyan, magenta, yellow)				
Standard print languages	HP PCL 5c, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible				
Printer smart software Teatures	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB				
Color scanning	Yes				
Scan speed Normal <sup>5</sup>	Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color); Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color) <b>Duplex:</b> Up to 240 ipm (b&w), up to 240 ipm (color); Up to 240 ipm (color); Up to 240 ipm (b&w), up to 240 ipm (color);				
Scan type / Technology	ADF: Flatbed / Platen Scanner CCD Digital-CIS				
Scan resolution					
Scan file format	Hardware: UP to 600 x 600 dpi; Optical: Up to 600 x 600 dpi				
Scan input modes	Hi-Compression PDF; JPEG; MTIFF; PDF; PDFA; RTF; TIFF; XPS				
ocan input modes	Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications				
Scan Size	ADF Maximum: 297 x 864 mm; 11.7 x 34 in ADF Minimum: 68 x 127 mm; 2.7 x 5 in Flatbed: 297 x 432 mm; 11.69 x 17 in				
Scanner advanced features	Embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps				
Duplex ADF scanning	Yes	ode,, waterman, stamps		_	
ADF capacity	Yes Standard, 200 sheets				
Twain version					
	Version 2.4				
Bit depth / Grayscale levels	24-bit/256				
Digital sending standard Features	Scan to e-mail; save-to-network folder; save-to-USB drive; send to Sharepoint; send to FTP; send to SFTP; send to LAN fax; send to Internet Fax; local address bo SMTP over SSL; auto color sense; compact PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (auto, text, mixe printed picture, photograph); content orientation; ID scan; job build; watermark; stamps; book mode scans; erase edges; image preview; blank page suppression; to multi destination, embedded OCR; auto-tone, auto orientation, autopage-crop; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation; automatically straighten				
Copy speed	Letter Black	Up to 25 cpm	Up to 30 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE)	
., .	Letter Color	Up to 25 cpm	Up to 30 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE)	
	A4 Black	Up to 25 cpm	Up to 30 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE)	
	A4 Color	Up to 25 cpm	Up to 30 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE)	
	Letter Black Duplex Letter Color Duplex	Up to 18 cpm Up to 18 cpm	Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE)	Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE)	
	A4 Black Duplex	Up to 18 cpm	Up to 22 cpm (with 8EP56AAE)	Up to 24 cpm (with 8EP57AAE)	
	A4 Color Duplex	Up to 18 cpm	Up to 22 cpm (with 8EP56AAE)	Up to 24 cpm (with 8EP57AAE)	
	First copy out Letter Black	As fast as 6.7 sec	As fast as 5.4 sec (with 8EP56AAE)	As fast as 4.8 sec (with 8EP57AAE)	
	First copy out Letter Color	As fast as 8.9 sec	As fast as 7.6 sec (with 8EP56AAE)	As fast as 6.8 sec (with 8EP57AAE)	
	First copy out A4 Black	As fast as 6.7 sec	As fast as 5.4 sec (with 8EP56AAE)	As fast as 4.8 sec (with 8EP57AAE)	
	First copy out A4 Color	As fast as 8.9 sec	As fast as 7.6 sec (with 8EP56AAE)		
Copy resolution				As fast as 6.8 sec (with 8EP57AAE)	
• •	Black (text and graphics): ; Up to 600 x 60			As fast as 6.8 sec (with 8EP57AAE)	
Maximum number of copies	3.			As fast as 6.8 sec (with 8EP57AAE)	
Maximum number of copies	<u> </u>			As fast as 6.8 sec (with 8EP57AAE)	
Maximum number of copies Copier resize	Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Cr copy; Watermark; Scan mode (book, 2-sic	on dpi ; Color (text and graphics): Up  op; Edge Erase; ID Scan; Image adju  ded ID); Stamps; Image shift; Image		g; N-up; Scalability; Text/Photo; Two-side sion; Automatically strainghten;	
Maximum number of copies Copier resize Copier settings	Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Cr copy; Watermark; Scan mode (book, 2-sic	on dpi ; Color (text and graphics): Up  op; Edge Erase; ID Scan; Image adju  ded ID); Stamps; Image shift; Image	to 600 x 600 dpi  stment; Job build; Job storage; N or Z-ordering preview; Paper selection; Blank page suppress	g; N-up; Scalability; Text/Photo; Two-side sion; Automatically strainghten;	
Maximum number of copies Copier resize Copier settings Fax speed	Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Cr copy; Watermark; Scan mode (book, 2-sic Automatically detect color/monochrome; Up to: 33.6 kbps / Letter: 3 sec per page	on dpi; Color (text and graphics): Up op; Edge Erase; ID Scan; Image adjuded ID); Stamps; Image shift; Image Auto tone; Multi-feed detection; Do	to 600 x 600 dpi  Istment; Job build; Job storage; N or Z-ordering preview; Paper selection; Blank page suppress cument editing; Auto paper color removal; Job	g; N-up; Scalability; Text/Photo; Two-side sion; Automatically strainghten;	
Maximum number of copies Copier resize Copier settings Fax speed Fax resolution	Booklet; Collation; Content orientation; Cr copy; Watermark; Scan mode (book, 2-sic Automatically detect color/monochrome; Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 4	op; Edge Erase; ID Scan; Image adjuded ID); Stamps; Image shift; Image Auto tone; Multi-feed detection; Do	to 600 x 600 dpi  Istment; Job build; Job storage; N or Z-ordering preview; Paper selection; Blank page suppress cument editing; Auto paper color removal; Job	g; N-up; Scalability; Text/Photo; Two-side sion; Automatically strainghten; o separation	
Maximum number of copies Copier resize Copier settings Fax speed Fax resolution	Up to 9999 copies 25 to 400%  Booklet; Collation; Content orientation; Cr copy; Watermark; Scan mode (book, 2-sic Automatically detect color/monochrome; Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 4 Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax ph	op; Edge Erase; ID Scan; Image adjuded ID); Stamps; Image shift; Image Auto tone; Multi-feed detection; Do dpi for received faxes only); Blact pages Auto fax reduction supported one TAM interface supported: No Faialing numbers: Up to 1000 numbe	to 600 x 600 dpi  Istment; Job build; Job storage; N or Z-ordering preview; Paper selection; Blank page suppress cument editing; Auto paper color removal; Job	g; N-up; Scalability; Text/Photo; Two-side sion; Automatically strainghten; separation g: No Distinctive ring detection supported ax telephone mode supported: No Junk	
Aaximum number of copies Copier resize Copier settings Copier	Up to 9999 copies  25 to 400%  Booklet; Collation; Content orientation; Crcopy; Watermark; Scan mode (book, 2-sic Automatically detect color/monochrome; Up to: 33.6 kbps / Letter: 3 sec per page  Black (best): Up to 300 × 300 dpi (400 × 4  Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax phbarrier supported: Yes Maximum speed d supported: No Telephone handset suppor	op; Edge Erase; ID Scan; Image adjuded ID); Stamps; Image shift; Image Auto tone; Multi-feed detection; Dc Od dpi for received faxes only); Blact pages Auto fax reduction supported one TAM interface supported: No Failing numbers: Up to 1000 numberted: No	to 600 x 600 dpi  Instruction of the following strength of the following preview; Paper selection; Blank page suppress cument editing; Auto paper color removal; Jobseph of the following supported: Yes Fax delayed sending x polling supported: Yes (poll to receive only) is to follow the following supported: Yes (poll to receive only) is to follow the following supported: Yes (poll to receive only) is to follow the following supported: Yes (poll to receive only) is to follow the following supported: Yes (poll to receive only) is to follow the following supported: Yes (poll to receive only) is to follow the following supported: Yes (poll to receive only) is to follow the following supported: Yes (poll to receive only) is to follow the following supported: Yes (poll to receive only) is to follow the following supported: Yes (poll to receive only) is to follow the following supported: Yes (poll to receive only) is to follow the following supported: Yes (poll to receive only) is to follow the following supported: Yes (poll to receive only) is the following supported: Yes (poll to receive only) is the following supported: Yes (poll to receive only) is the following supported: Yes (poll to receive only) is the following supported: Yes (poll to receive only) is the following supported: Yes (poll to receive only) is the following supported: Yes (poll to receive only) is the following supported: Yes (poll to receive only) is the following supported: Yes (poll to receive only) is the following supported: Yes (poll to receive only) is the following supported: Yes (poll to receive only) is the following supported: Yes (poll to receive only) is the following supported: Yes (poll to receive only) is the following supported: Yes (poll to receive only) is the following supported: Yes (poll to receive only) is the following supported: Yes (poll to receive only) is the following supported: Yes (poll to receive only) is the following supported: Yes (poll to receive only) is the following supported: Yes (poll to receive only) is the	g; N-up; Scalability; Text/Photo; Two-side sion; Automatically strainghten; separation g: No Distinctive ring detection supported ax telephone mode supported: No Junk pported: Yes Remote retrieval capability	
laximum number of copies opier resize opier settings opier settings ox speed ox resolution ox Features	Up to 9999 copies 25 to 400%  Booklet; Collation; Content orientation; Cr copy; Watermark; Scan mode (book, 2-sic Automatically detect color/monochrome; Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 4 Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax phibarrier supported: Yes Maximum speed d supported: No Telephone handset support 1 Gigabit Ethernet 10/100/1000TX netwo	op; Edge Erase; ID Scan; Image adjuded ID); Stamps; Image shift; Image Auto tone; Multi-feed detection; Do odpi for received faxes only); Blact pages Auto fax reduction supported one TAM interface supported: No Faialing numbers: Up to 1000 numberted: No ork; 1 Hardware Integration Pocket	to 600 x 600 dpi  Instruction of the following state of the followin	g; N-up; Scalability; Text/Photo; Two-side sion; Automatically strainghten; separation g: No Distinctive ring detection supported ax telephone mode supported: No Junk pported: Yes Remote retrieval capability	
laximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity letwork capabilities	Up to 9999 copies  25 to 400%  Booklet; Collation; Content orientation; Crcopy; Watermark; Scan mode (book, 2-sic Automatically detect color/monochrome; Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 4 Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax phbarrier supported: Yes Maximum speed d supported: No Telephone handset supported: 1 Gigabit Ethernet 10/100/1000TX netwo SuperSpeed USB 3.0 (host)	op; Edge Erase; ID Scan; Image adjuded ID); Stamps; Image shift; Image Auto tone; Multi-feed detection; Do od pi for received faxes only); Blact pages Auto fax reduction supported one TAM interface supported: No Faialing numbers: Up to 1000 numberted: No ork; 1 Hardware Integration Pocket Ethernet)	to 600 x 600 dpi  Instruction of the following state of the followin	g; N-up; Scalability; Text/Photo; Two-side sion; Automatically strainghten; separation g: No Distinctive ring detection supported ax telephone mode supported: No Junk pported: Yes Remote retrieval capability	
Aaximum number of copies Copier resize Copier settings  C	Up to 9999 copies  25 to 400%  Booklet; Collation; Content orientation; Crcopy; Watermark; Scan mode (book, 2-sic Automatically detect color/monochrome;  Up to: 33.6 kbps / Letter: 3 sec per page  Black (best): Up to 300 × 300 dpi (400 × 4)  Fax memory: Up to 500 pages; Up to 500  No Fax forwarding supported: Yes Fax phibarrier supported: Yes Maximum speed d supported: No Telephone handset supported: No Telephone handset supported: Yes Gay phibarrier supported: No Telephone handset supported: No Telephone	op; Edge Erase; ID Scan; Image adjuded ID); Stamps; Image shift; Image Auto tone; Multi-feed detection; Do od opi for received faxes only); Blact pages Auto fax reduction supported one TAM interface supported: No Faialing numbers: Up to 1000 numberted: No ork; 1 Hardware Integration Pocket Ethernet)	to 600 x 600 dpi  Instruction of the content of the	g; N-up; Scalability; Text/Photo; Two-side sion; Automatically strainghten; separation g: No Distinctive ring detection supported ax telephone mode supported: No Junk pported: Yes Remote retrieval capability	
Maximum number of copies Copier resize Copier settings  Fax speed Fax resolution Fax Features  Standard connectivity  Network capabilities  Mireless capability  Mobile printing capability	Up to 9999 copies  25 to 400%  Booklet; Collation; Content orientation; Crcopy; Watermark; Scan mode (book, 2-sic Automatically detect color/monochrome;  Up to: 33.6 kbps / Letter: 3 sec per page  Black (best): Up to 300 × 300 dpi (400 × 4)  Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax phbarrier supported: Yes Maximum speed d supported: No Telephone handset support 1 Gigabit Ethernet 10/100/1000TX network SuperSpeed USB 3.0 (host)  Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a hard	op; Edge Erase; ID Scan; Image adjuded ID); Stamps; Image shift; Image Auto tone; Multi-feed detection; Do od opi for received faxes only); Blact pages Auto fax reduction supported one TAM interface supported: No Faialing numbers: Up to 1000 numberted: No ork; 1 Hardware Integration Pocket Ethernet)	to 600 x 600 dpi  Instruction of the content of the	g; N-up; Scalability; Text/Photo; Two-side sion; Automatically strainghten; separation g: No Distinctive ring detection supported ax telephone mode supported: No Junk pported: Yes Remote retrieval capability	
Maximum number of copies Copier resize Copier settings  Fax speed Fax resolution Fax Features  Standard connectivity  Network capabilities  Wireless capability  Mobile printing capability	Up to 9999 copies 25 to 400%  Booklet; Collation; Content orientation; Cr copy; Watermark; Scan mode (book, 2-sic Automatically detect color/monochrome; Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 4  Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax phibarrier supported: Yes Maximum speed d supported: No Telephone handset supported: No Telephone handset supported: Standard (built-in Gigabit 10/100/1000TX networks)  Standard (built-in Gigabit 10/100/1000T  Optional, enabled with purchase of a hard Apple Air Print™; Mopria™ Certified; Wi-Fi <sup>©</sup> Standard: GB; Maximum: GB  Quad Core (1.6GHz), Dual Core (1.4GHz) /	op; Edge Erase; ID Scan; Image adjuded ID); Stamps; Image shift; Image Auto tone; Multi-feed detection; Do on dpi for received faxes only); Blact pages Auto fax reduction supported and interface supported: No Failaing numbers: Up to 1000 numberted: No ork; 1 Hardware Integration Pocket Ethernet)  dware accessory  Direct Printing; HP Roam; NFC Tou	to 600 x 600 dpi  Instruction of the content of the	g; N-up; Scalability; Text/Photo; Two-side sion; Automatically strainghten; separation g: No Distinctive ring detection supported ax telephone mode supported: No Junk pported: Yes Remote retrieval capability sst); 1 SuperSpeed USB 3.0 (device); 1	
Maximum number of copies Copier resize Copier settings  Fax speed Fax resolution Fax Features  Standard connectivity  Network capabilities  Wireless capability  Mobile printing capability  Memory  Processor speed	Up to 9999 copies 25 to 400%  Booklet; Collation; Content orientation; Cr copy; Watermark; Scan mode (book, 2-sic Automatically detect color/monochrome; Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 4  Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax phibarrier supported: Yes Maximum speed d supported: No Telephone handset supported: No Telephone handset supported: Standard (built-in Gigabit 10/100/1000TX networks)  Standard (built-in Gigabit 10/100/1000T  Optional, enabled with purchase of a hard Apple Air Print™; Mopria™ Certified; Wi-Fi <sup>©</sup> Standard: GB; Maximum: GB  Quad Core (1.6GHz), Dual Core (1.4GHz) /	op; Edge Erase; ID Scan; Image adjuded ID); Stamps; Image shift; Image Auto tone; Multi-feed detection; Do on dpi for received faxes only); Blact pages Auto fax reduction supported and interface supported: No Failaing numbers: Up to 1000 numberted: No ork; 1 Hardware Integration Pocket Ethernet)  dware accessory  Direct Printing; HP Roam; NFC Tou	to 600 x 600 dpi  stment; Job build; Job storage; N or Z-ordering preview; Paper selection; Blank page suppress cument editing; Auto paper color removal; Job sk (standard): 203 x 98 dpi d: Yes Auto-redialing: Yes Fax delayed sending x polling supported: Yes (poll to receive only) Frs (each with 210 destinations) PC interface su 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (hot ch-to-print (optional); PrinterOn Print  GB hard disk drive / Hard disk: Standard, HP La	g; N-up; Scalability; Text/Photo; Two-side sion; Automatically strainghten; separation g: No Distinctive ring detection supported: As telephone mode supported: No Junk pported: Yes Remote retrieval capability sst); 1 SuperSpeed USB 3.0 (device); 1  asserJet 500 GB Hard Disk Drive; AES 256 Erase-Disk)	
Maximum number of copies Copier resize Copier settings  Fax speed Fax resolution Fax Features  Standard connectivity Network capabilities Wireless capability Mobile printing capability Memory Processor speed  Duty cycle (monthly)	Up to 9999 copies 25 to 400%  Booklet; Collation; Content orientation; Cr copy; Watermark; Scan mode (book, 2-sic Automatically detect color/monochrome; Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 4  Fax memory: Up to 500 pages; Up to 500 No Fax forwarding supported: Yes Fax phibarrier supported: Yes Maximum speed d supported: No Telephone handset supported: No Telephone handset supported: Standard (built-in Gigabit 10/100/1000TX networks)  Standard (built-in Gigabit 10/100/1000T  Optional, enabled with purchase of a hard Apple Air Print™; Mopria™ Certified; Wi-Fi®  Standard:6 GB; Maximum:6 GB  Quad Core (1.6GHz), Dual Core (1.4GHz) / hardware encryption; Secure erase capab	op; Edge Erase; ID Scan; Image adjuded ID); Stamps; Image shift; Image Auto tone; Multi-feed detection; Do Odpi for received faxes only); Blact pages Auto fax reduction supported along numbers: Up to 1000 numberted: No Failaling numbers: Up to 1000 numberted: No ork; 1 Hardware Integration Pocket Ethernet)  Storage: Standard, embedded 500 illties (Secure File Erase-Temporary)	to 600 x 600 dpi  stment; Job build; Job storage; N or Z-ordering preview; Paper selection; Blank page suppress cument editing; Auto paper color removal; Job sk (standard): 203 x 98 dpi d: Yes Auto-redialing: Yes Fax delayed sending x polling supported: Yes (poll to receive only) for seach with 210 destinations) PC interface sure 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (hot ch-to-print (optional); PrinterOn Print  GB hard disk drive / Hard disk: Standard, HP La Job Files, Secure Erase-Job Data, Secure ATA 6	g; N-up; Scalability; Text/Photo; Two-side sion; Automatically strainghten; separation g: No Distinctive ring detection supported: As telephone mode supported: No Junk pported: Yes Remote retrieval capability sst); 1 SuperSpeed USB 3.0 (device); 1  asserJet 500 GB Hard Disk Drive; AES 256 Erase-Disk) Up to 150,000 pages (with 8EP57AAE	

# Technical specifications

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 10 envelopes; Input Capacities, Max: Up to 3140 sheets; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy
31	111–130q, Mid-WtGlossy 96-110q, Heavy Glossy 111–130q, HP Matte 150q, HP Glossy 150q, Extra Heavy 131–175q, XHvyGlossy 131–175q, HP Matte 200q, Card
	stock 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Color Transparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored
Media weight supported	Tray 1: 16 to 79.5 lb bond; Tray 2, 3: 16 to 58.5 lb bond
Media sizes supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio 8.5 x 13, 11 x 17, 4 x 6, 5 x 7, 5 x 8,10 x 15, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8, 16k; Tray 3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 8k, 16k
Media Sizes Custom	Tray 1: 3.86 x 5.83 to 11.69 x 17 in; Tray 2: 5.48 x 8.27 to 11.69 x 14.33 in; Tray 3: 5.48 x 8.27 to 11.69 x 17 in
What's in the box	5QJ94A in box materials; Guide install; Flyer Regulatory; Power Cords; Keyboard/Overlay for Z model; Label; Drums.
Replacement cartridges <sup>1</sup>	HP Black Managed LJ Toner Cartridge (ISO Yield 29,000) W9150MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 24,000) W9151MC, HP Yellow Managed LJ Toner
	Cartridge (ISO Yield 24,000) W9152MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 24,000) W9153MC
Product dimensions	<b>W x d x h:</b> 640.8 x 725.5 x 908.1 mm; 25.2 x 28.6 x 35.8 in <b>Maximum:</b> 1681 x 1196 x 1241 mm; 66.2 x 47.1 x 48.9 in
Product weight	~84.2 kg; ~185.7 lb
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to
	hp.com/support to learn about HP award winning service and support options in your region.
Energy star certified	Yes
Ecolabels	EPEAT® registered; Blue Angel; IT ECO Declaration
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com
Compatible operating	Windows Client OS (32/64 bit)-, Win10, Win11, Win7 Ultimate, Mobile OS's-, iOS, Android, Apple macOS's-, Apple macOS Catalina v10.15, Apple macOS Big Sur v11.0,
systems	Apple macOS Monterey v12.0, (All operating systems with the latest updates)
Compatible network	Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows
operating systems	Server 2022 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information
	see http://citrixready.citrix.com, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see
	http://hp.com/go/unixmodelscripts, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://hp.com/qo/unixmodelscripts, (All operating systems with the latest updates)
Minimum system	PC: 2 GB available hard disk space. Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB
requirements	available hard drive space, Internet connection, or USB port, Internet browser. For additional O5 hardware requirements see apple.com
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 100 to 127 VAC 50/60 Hz, 110 to 127 VAC 50/60 Hz, 220 to 240 VAC 50/60
	Hz (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 580 watts (25ppm, printing), 670 watts (30ppm,
	printing), 720 watts (35ppm, printing), 32.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)
Acoustics	Acoustic power emissions: 6.60 Bel(A), printing color simplex A4 at 25ppm; 6.70 Bel(A), printing color simplex A4 at 30ppm; 6.75 Bel(A), printing color simplex A4 at
	35ppm; Acoustic Pressure Emissions (active, printing): 50 dB(A), printing color simplex A4 at 25ppm; 51 dB(A), printing color simplex A4 at 30ppm; 52 dB(A), printing
	color simplex A4 at 35ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ipm; 58 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at
	60ipm
Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20
	to 80% RH; <b>Recommended humidity operating range</b> : 20 to 80% RH

#### Messaging Footnotes

1 Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.
2 HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class

printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims

Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices

running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf 4 P Security is now HP Wolf Security. Security features vary by platform. For more information, visit hp.com/wolfsecurity

HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin
Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Measured using standards found

at: http://standards.iso.org/ittf/PublicyAvailableStandards/SC28\_Test\_Pages/

Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To gnable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.

<sup>8</sup> 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers. 9 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.

HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines.

HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

#### **Technical Specifications Footnotes**

Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.

<sup>2</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and

Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

<sup>6</sup> For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)















