# HP Color LaserJet Managed Flow MFP E877z Printer series



## Powerful. Flexible. Secure.

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers you'll stay secure and simplify fleet management for busy IT pros.



# Unleash peak productivity

- Experience speed and performance like no other with our fastest ever 300 ipm<sup>2</sup> duplex scan technology.
- Work faster and without interruptions with reverse and retry technology that automatically detects and resolves double feed issues.
- Easily scan and capture text from documents with high accuracy with OCR software, increase productivity with the optional accelerator card.
- Save time by simply scanning once and sending to multiple destinations with customized shortcuts built to eliminate steps and improve accuracy.

#### Customizable solutions built to last

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.<sup>3</sup>
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader support.
- Make color management simple & seamless with our HP Custom Color Manager. Match color output of any document/device combination without the hassle of expensive color matching systems.

# Always on guard with HP Wolf Security<sup>4</sup>

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified<sup>5</sup> to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

#### Better printing, for a better planet

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.<sup>6</sup>
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic. Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.<sup>8</sup>
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.

#### Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)<sup>1</sup>
- 2. Flatbed scanner handles sheets up to 11x17 in (297 x 432 mm)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port<sup>2</sup>
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to A3 (11x17 in)
- 14. 300-sheet dual side ADF supports media sizes up to A3 (11x17 in) (Flow models only)<sup>3</sup>
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Full size keyboard
- 18. Right door access to the print path
- 19. 100-sheet multipurpose tray 1 supports media sizes up to A3 (11x17 in)
- 20. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 21. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3 (11x17 in)



## Series at a glance

Model	HP Color LaserJet Managed Flow MFP E877z				
Product number	5QK08A	5QK08A(Base) + 8EP60AAE (Speed license)	5QK08A(Base) + 8EP61AAE (Speed license)	5QK08A(Base) + 8EP62AAE (Speed license)	
Print speed (A4 and letter black and color) <sup>4</sup>	Up to 40 ppm	Up to 50 ppm	Up to 60 ppm	Up to 70 ppm	
Scan speed (A4 and letter, black and color) <sup>5</sup>	150 ppm/300 ipm, simplex/duplex				
Functions	Print, copy, and scan (fax and wireless optional) (all models)				
ADF capacity	300 sheets				
Input capacity	Standard: 1,140 sheets; Maximum: 6,140 sheets (all models)				
Advanced workflow features	HP EveryPage technology, full size keyboard, embedded OCR, reverse and retry, auto orientation, auto-tone, auto page-crop, document editing, auto paper color removal, automatically straighten, job separation				

## Top features

Get more done faster with industry leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quadcore processor. Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can keep your business running.

Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

#### Services and Solutions

Service and Support	U03HDE - HP 1 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HGE - HP 3 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HGE - HP 4 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HJE - HP 5 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HJE - HP 3 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HJE - HP 4 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HJE - HP 5 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HJE - HP 1 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx U03HJE - HP 1 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HJE - HP 2 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HJE - HP 3 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HJE - HP 4 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HJE - HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HJFE - HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE - HP 1 year Post Warranty A hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE - HP 2 year Post Warranty A hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE - HP 2 year Post Warranty A hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE - HP 2 year Post Warranty A hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE - HP 2 year Post Warranty A hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights  Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App  Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer  Administrator's Resource Kit

<sup>1</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
2 An administrator must enable the easy-access USB port before use.
3 The E877 series Flow models include a 300-sheet ADF. The E877 series of models include a 200-sheet ADF. The E877 series flow models include a 300-sheet ADF. The E877 series flow models include a 300-sheet ADF. The E877 series flow models include a 300-sheet ADF. The models include a 200-sheet ADF. The series flow models include a 300-sheet ADF. The models include a 200-sheet ADF. The series flow models include a 300-sheet ADF. The s

## Front panel optional colors



#### \*Available with optional color panel accessories

```
Accessories & Speed Licenses
 155P7A HP LaserJet InnerFinisher 2/3 Hole Punch
 155P8A HP LaserJet InnerFinisher 2/4 Hole Punch
 155P9A HP LaserJet Inner Finisher Swedish Hole Punch
 190A2A HP Color LaserJet Department Lunar Gray Color Panel
 190A4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel
 190A5A HP LaserJet Department High Capacity Paper Tray/Stand Lunar Gray Color Panel
 190A8A HP LaserJet Department Stand Lunar Gray Color Panel
 190B2A HP Color LaserJet Department Comet Red Color Panel
 190B4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Comet Red Color Panel
 190B5A HP LaserJet Department High Capacity Paper Tray/Stand Comet Red Color Panel
 190B8A HP LaserJet Department Stand Comet Red Color Panel
 190C2A HP Color LaserJet Department Cosmic Green Color Panel
 190C4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel
 190C5A HP LaserJet Department High Capacity Paper Tray/Stand Cosmic Green Color Panel
 190C8A HP LaserJet Department Stand Cosmic Green Color Panel
 190D2A HP Color Laser Jet Department Constellation Yellow Color Panel
 190D4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel
 190D5A HP LaserJet Department High Capacity Paper Tray/Stand Constellation Yellow Color Panel
 190D8A HP LaserJet Department Stand Constellation Yellow Color Panel
 190F2A HP Color LaserJet Department Aurora Purple Color Panel
 190F4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel
 190F5A HP LaserJet Department High Capacity Paper Tray/Stand Aurora Purple Color Panel
 190F8A HP LaserJet Department Stand Aurora Purple Color Panel
 2NR12A HP Removable Hard Drive Enclosure
 2TD64A HP Accessibility Kit
 3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory
 478C2A HP Printing Voice Assistant
 4QL32A HP Legic Secure USB Reader
 4XN67A Internal USB Expansion Kit
 5QK14A HP MFP 810 Analog Dual Fax
 6GW47A HP LaserJet 2x520 sheet Department Paper Tray/Stand
 6GW49A HP LaserJet Inner Finisher
 6GW50A HP LaserJet Department Job Separator
 6GW51A HP LaserJet Booklet Finisher
 6GW53A HP LaserJet Department Stand
 6GW55A HP LaserJet Stapler/Stacker Finisher
 6GW56A HP LaserJet 3000 sheet Department High Capacity Paper Tray/Stand
 6GW57A HP LaserJet 2000 sheet Department High Capacity Paper Tray/Stand
 6HN30A HP LaserJet Workflow Accelerator Card
 6HN31A HP 500GB CCC, FIPS, TAA Hard Disk Drive
 7ZA07A HP MFP 811 Analog Dual Fax
 7ZA08A HP MFP 800 Analog Single Fax
 7ZA09A HP MFP 801 Analog Single Fax
 8FP31A HP Jetdirect LAN Accessory
 9EQ11A HP 500GB CCC, FIPS Hard Disk Drive
 B5L31A HP Foreign Interface Harness
 CC543B HP SmartCard NIPRNet Solution for US Government
 F8B30A HP SmartCard SIPRNet Solution for US Government
 X3D03A HP USB Universal Card Reader
 Y1G10A HP LaserJet Hole Punch 2/3 Accessory
 Y1G13A HP LaserJet Inner/Booklet Staples
 Y1G14A HP LaserJet Stapler/Stacker Finisher Staples
 Y1G22A HP LaserJet Paper Tray Heaters Accessory
 Y7C05A HP HIP2 Keystroke Reader
 Y7C07A HP SIM for HID iClass for HIP2 Reader
8EP60AAE HP Color LaserJet Managed MFP E877 40 to 50ppm License
BEPG1ARE HP Color LaserJet Managed MFP E877 40 to Suppm License BEPG1ARE HP Color LaserJet Managed MFP E877 40 to 60ppm License BEPG2ARE HP Color LaserJet Managed MFP E877 40 to 70ppm License BLB4BARE HP Color LaserJet Managed MFP E877 50 to 60ppm License BLB49ARE HP Color LaserJet Managed MFP E877 60 to 70ppm License BLB50ARE HP Color LaserJet Managed MFP E877 50 to 70ppm License
```

<sup>\*</sup> Inner finisher/inner finisher hole punches are not compatible with 70ppm \*\* HP LaserJet Workflow Accelerator Card, 6HN30A will be available in January 2023.

# Technical specifications

Inter-speed	rechnical specifi							
Carter Calor	Functions	Print, copy, scan, fax (optional)						
## SBB. Up to 40 ppm	Print speed <sup>3,2</sup>							
March   Company   Display of propriet and ESP (2004)   Display of propriet and ESP								
Person of Little Book								
Part page out Letter Coor						As fast as 7.2 sec (with 8EP62AAE		
First separation (Fig. 1966) and Proceedings of Art Color (Fig. 1966) as a separation of the Color (Fig. 1966) and the Col				As fast as 8.8 sec (with 8EP60AAE)		As fast as 8.0 sec (with 8EP62AAE		
Processing   Pro						As fast as 7.2 sec (with 8EP62AAE		
Proc.   1975						As fast as 8.0 sec (with 8EP62AAE		
Security of transparent Policy Control of the substance of the product policy of the substance of the substance of the product policy of the substance of th	Print resolution	Black (best): Up to 1200 x 1200 dpi full speed; Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi; Color (best): Up to 1200 x 1200 dpi full speed; Color (normal): Up to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi						
Service Servic	Print technology	Laser; Optical: Normal (600 x 600 4	bit); Best (1200 x 1200 1 bit)					
Printer amost official relatives. Purity proteon, duption printing, platin multiple pages per sheet (2, 4, 6, 9, 16, collation, westermarks, store pirel jobs, easy-access USII  Discos scanning  Vis  Card speed (Normal)  Haber, AGE (1) Platin Scanning CLD Diption-CRD  Pather, AGE (1) Platin Scanning CLD Diption-CRD  Haber, AGE (1) Platin AGE (1) Platin Scanning CLD Diption-CRD  Haber, AGE (1) Platin AGE (1) Platin Scanning CLD Diption-CRD  Haber, AGE (1) Platin AGE (1) Platin Scanning CLD Diption-CRD  Haber, AGE (1) Platin AGE (1) Platin Scanning CLD Diption-CRD  Haber, AGE (1) Platin AGE (1) Platin Scanning CLD Diption-CRD  Haber, AGE (1) Platin AGE (1) Platin Scanning CLD Diption-CRD  Haber, AGE (1) Platin AGE (1) Platin Scanning CLD Diption-CRD  Haber, AGE (1) Platin AGE	Print cartridges number	4 (1 each black, cyan, magenta, yell	ow)					
Priesr standard statutes   Security	Standard print languages	HP PCL 5c, HP PCL 6, HP Postscript	evel 3 emulation, PDF (v 1.7), Airl	Print™ compatible				
Top speed forming  Ves  Top speed forming  Light 15 sp	Printer smart software feature				hs easy-access USB			
Consisted Normal <sup>®</sup> District 150 ppon/2001 pm fibided, up to 150 ppm/2001 pm ficially (ppm fibided) pm fibided, up to 300 ppm fibided, up to 300 pm fibided (ppm fibided) pm fibided (ppm fibided) pm fibided (ppm fibided) pm fibided) pm fibided) pm fibided (ppm fibided) pm fibided) pm fibided (ppm fibided) pm fibided) pm fibided (ppm fibided) pm fibided) pm fibided) pm fibided) pm fibided) pm fibided (ppm fibided) pm			multiple pages per sheet (2, 4, 0,	5, 10), collation, watermarks, store print je	, easy access 05B			
Scart type if February								
Scan resolution   Auritowers (10 to 1600 to 600 dec ) Optical (10 to 1600 to 600 dec) dec				ex: Up to 300 ipm (b&w), up to 300 ipm (co	lor)			
Som fix format  PSF, H. Compression IPSF, INC. CANDER, C. STOCKB, Unico. PSF, H. Compression IPSF, INC. CANDER, C. STOCKB, Unico. PSF, H. Compression IPSF, INC. CANDER, C. STOCKB, Unico. PSF, H. Compression IPSF, INC. CANDER, C. STOCKB, Unico. PSF, H. Compression IPSF, INC. CANDER, C. STOCKB, Unico. PSF, H. Compression IPSF, INC. CANDER, C. STOCKB, Unico. PSF, INC. CANDER, C. STOCKB, INC	Scan type / Technology	Flatbed, ADF / Platen Scanner CCD [	Digital-CIS					
For Corn, RT (COR), RT (CO	Scan resolution	Hardware: Up to 600 x 600 dpi; Opti	<b>cal:</b> Up to 600 × 600 dpi					
Cora Sec. ADF Maximum: 30.5 x 96.4 mm. 12 x 34 in ADF Minimum: 68 x 127 mm. 2.7 x 5 in Fulbed. 297 x 43.2 mm. 11.69 x 174 in Cora in Proceedings of Corp. Proceedings and page becode, watermark: stamps. So plant Agriculture (butto) stam to multi-destrations, automatic tone, auto orientation, multi-feed detection, reverse and retry, document editing, auto pager color removes, (b) separation flater page, becode, watermark: stamps. So plant Agriculture (butto) stamps and the color of t	Scan file format	PDF, Hi-Compression PDF, PDF/A, Hi-Compression PDF/A, JPEG, TIFF, MTIFF, XPS, PDF (OCR), Hi-Compression PDF (OCR), PDF/A (OCR), Hi-Compression PDF/A (OCR), TEXT (OCR), Unicode						
Scan Size  ADF Macdemurth (20, 6 self minn; 12 x 3 st in ADF Minimums 68 x 27 min, 27 x 5 in Rathbed; 207 x 43 z min; 1 f69 x 12 in  Compress Advanced feature: Embody (20, 6) from the mind destination, automatic tone, auto orientation; multi-feed detection; reverse and retry, document editing, auto paper color removal; pib separation (blank page, barcode), wetermant; stamps  Version 2.4  Sandard, 300 sheets  Version 2.4  Version 2.4  Version 2.4  Sandard 3.00 sheets  Version 2.4  Sandard 5.00 sheets  Version 2.4  Latter Editor 1.00 sheets 6.00 sh	Scan input modes	Front panel applications: Copy; Fax;	Scan to Email; Scan to Network F	older; Scan to USB; Scan to Job Storage; O	oen Extensibility Platform (OXP), HP V	orkpath applications		
Compress advanced features  Timbedied OFC, apprinting bendy true faults seen to multi-destination, automatic tone, auto orientation, multi-feed detection, reverse and retry, document editing, auto paper color removel; pols separation fillants, page, barcode), watermarks, starrings.  WES  Standard, 30 orheets  WES  Standard, 30 orheets  Standard, 30 o	Scan Size				•			
Suplex ADF scanning  Ves  Diplicate ADF scanning  Ves  Version 2.4  Ve	Scanner advanced features	· · · · · · · · · · · · · · · · · · ·				rumont aditing: auto paper color		
Standard, 300 sheets		removal; job separation (blank page, barcode); watermark; stamps						
New investion   Version 2.4	·	···						
Start both / Grayscale Levels   24-bit/256   Scan to e-mail; save-to-network folder; save-to-USB drive; send to Sharepoint; send to FTP; send to SFTP; send to LAN fax; send to Internet Fax; local address book; SMTP over SSL; shares; compact PDF, amage adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture feature, text, mixed, printed picture, photographic, content contents and propriets and propri		Standard, 300 sheets						
Scan to a-mail; save-to-network fiddler; save-to-10.05 driver, sand to Sharpoint, cent to EFTP, sand to LAN face send to Internet pic, local address book; SMTP over SQL; controlled to the save compact DFD; image addustments (before), controlled to SQL; save server, compact DFD; image addustments (before), controlled to SQL; save server, compact DFD; image addustments (before), controlled to SQL; save server, compact DFD; image addustments (before), controlled to SQL; save server, compact DFD; save server,	Twain version	Version 2.4						
color sense; compact PDE; image adjustments (darkness, contrast, background cleanup, sharpness, optimized etchyciture (auto, text, mixed, printed picture, photograph); content orientation, auto-page-crop; multi-feed detection; reverse and retry, document editing, auto paper color removal; job separation; automatically straighten  Copy speed  Letter Color  All Black  Up to 40 cpm Up to 50 cpm (with BEPGAARE)  All Black  Up to 40 cpm Up to 50 cpm (with BEPGAARE)  All Black  Up to 40 cpm Up to 50 cpm (with BEPGAARE)  All Black  Up to 40 cpm Up to 50 cpm (with BEPGAARE)  Up to 60 cpm (with BEPGAARE)  Up to 60 cpm (with BEPGAARE)  Up to 70 cpm (with BEPGAARE)  All Black  Up to 40 cpm Up to 50 cpm (with BEPGAARE)  Up to 60 cpm (with BEPGAARE)  Up to 60 cpm (with BEPGAARE)  Up to 70	Bit depth / Grayscale levels	24-bit/256						
color sense; compact PDE; image adjustments (darkness, contrast, background cleanup, sharpness, optimized etchyciture (auto, text, mixed, printed picture, photograph); content orientation, auto-page-crop; multi-feed detection; reverse and retry, document editing, auto paper color removal; job separation; automatically straighten  Copy speed  Letter Color  All Black  Up to 40 cpm Up to 50 cpm (with BEPGAARE)  All Black  Up to 40 cpm Up to 50 cpm (with BEPGAARE)  All Black  Up to 40 cpm Up to 50 cpm (with BEPGAARE)  All Black  Up to 40 cpm Up to 50 cpm (with BEPGAARE)  Up to 60 cpm (with BEPGAARE)  Up to 60 cpm (with BEPGAARE)  Up to 70 cpm (with BEPGAARE)  All Black  Up to 40 cpm Up to 50 cpm (with BEPGAARE)  Up to 60 cpm (with BEPGAARE)  Up to 60 cpm (with BEPGAARE)  Up to 70	Digital sending standard	Scan to e-mail: save-to-network fol	der: save-to-LISB drive: send to S	harenoint: send to ETP: send to sETP: send	I to I AN fax: send to Internet Fax: loca	l address book: SMTP over SSL: aut		
Letter Color	features	color sense; compact PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (auto, text, mixed, printed picture, photograph); content orientation; ID scan; job build; watermark; stamps; book mode scans; erase edges; image preview; blank page suppression; scan to multi destination; embedded OCR; auto-tone, auto						
Letter Color	Conv speed	Letter Black	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)		
A Color	200, 30000	Letter Color	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)		
Letter Black Duplex								
Letter Color Duplex								
A Black Duplex								
Af Color Duplex Fist copy out Letter Black As fast as 4.9 sec As fast as 6.5 sec As fast as 5.5 sec (with BEP60ABE) First copy out Letter Black As fast as 6.5 sec As fast as 5.5 sec (with BEP60ABE) First copy out Ad Black As fast as 4.9 sec (with BEP60ABE) First copy out Ad Black As fast as 4.9 sec As fast as 5.5 sec (with BEP60ABE) As fast as 4.9 sec (with BEP61ABE) As fast as 4.9 sec (with BEP61A								
First copy out Letter Black First copy out Letter Cloor First copy out Letter Cloor First copy out As fast as 6.5 sec As fast as 6.7 sec (with BEPEGAAE) First copy out As Black As fast as 6.5 sec As fast as 6.5 sec (with BEPEGAAE) First copy out As Black As fast as 4.9 sec (with BEPEGA First copy out As Black First copy out As Cloor As fast as 6.5 sec As fast as 4.2 sec (with BEPEGAAE) As fast as 3.8 sec (with BEPEGA First copy out As Cloor As fast as 4.9 sec with BEPEGA As fast as 4.9 sec (with BEPEGA As fast as 3.8 sec (with BEPEGAAE) As fast as 3.8 sec (with BEPEGAAE) As fast as 4.9 sec (with BEPGAAE) As fast								
First copy out Letter Color First copy out AB Black First copy out AB Black As fast as 4.9 sec With BEP60AB As fast as 3.8 sec (with BEP61AB As fast as 3.3 sec (with BEP62AB As fast as 4.9 sec With BEP61AB As fast as 4.9 sec With B								
First copy out A4 Black First copy out A4 Color As fast as 4.9 sec As fast as 4.2 sec (with BEP60ABE) As fast as 3.8 sec (with BEP61ABE) As fast as 3.8 sec (with BEP62A First copy out A4 Color As fast as 4.9 sec As fast as 5.6 sec (with BEP60ABE) As fast as 4.9 sec (with BEP61ABE) As fast as 3.8 sec (with BEP61ABE) As fast as 4.9						As fast as 4.3 sec (with 8EP62AAI		
Description   Black (text and graphics); ; Up to 600 x 600 dpi; Color (text and graphics); Up to 600 x 600 dpi						As fast as 3.5 sec (with 8EP62AAI		
Maximum number of copies  Up to 9999 copies  Copier resize  25 to 400%  Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (Auto, text, mixed, printed picture, photograph); N-Up Z-ordering; content orientation; collation; booklet; ID scan; job build; job storage; watermark; stamps; book mode scans; erase edges, automatically detect color/monochrome; image shift; Paper Selection; collate; Blank Page Suppression; Auto Orientation; Auto Tone; Crop to page; Multi-feed Detection; Reverse and Retry; Document Editing; Auto P. Color Removal; Job Separation; Automatically Straighten;  Fax speed  Up to: 33.6 kbps / Letter: 3 sec per page  Fax resolution  Fax Features  Fax memory: Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard); 203 x 98 dpi  Fax memory: Up to 500 pages; Up to 500 pages; Auto fax reduction supported: Yes Auto-redialing; Yes Fax delayed sending; No Distinctive ring detection supported: No Fax forwardin supported: Yes Fax phone TAM interface supported: No Fax polling supported: No Fax p		First copy out A4 Color	As fast as 6.5 sec	As fast as 5.6 sec (with 8EP60AAE)	As fast as 4.9 sec (with 8EP61AAE)	As fast as 4.3 sec (with 8EP62AAI		
Zopier sestings   Zopier sestings   Zopier sestings   Zopier sestings   Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (Auto, text, mixed, printed picture, photograph); N-Up Z-ordering; content orientation; collate; Blank Page Suppression; Auto Orientation; Auto Tone; Crop to page; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Pocondary (Color Removal; Job Separation; Automatically Straighten; Fax speed   Up to: 33.6 kbps / Letter: 3 sec per page   Black (Best); Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard); 203 x 98 dpi   Fax memory: Up to 500 pages; Up to 500 pages; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Pocondary; Detection   Pax memory: Up to 500 pages; Up to 500 pages; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Pocondary; Detection   Pax memory: Up to 500 pages; Up to 500 pages; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Pocondary; Detection   Pax memory: Up to 500 pages; Up to 500 pages; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Pocondary; Detection   Pax memory: Up to 500 page; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Pocondary; Detection   Pax memory: Up to 500 page; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Pocondary; Detection   Pax memory: Up to 500 page; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Pocondary; Detection   Pax memory: Up to 500 page; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Pocondary; Detection   Pax memory: Up to 500 page; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Pocondary; Document Editing; Auto Pocondary; Document Editing; Auto Pocondary; Document Edition; A	Copy resolution	Black (text and graphics): ; Up to 60	0 x 600 dpi ; Color (text and graph	nics): Up to 600 x 600 dpi				
Stot 400%   Two-sided copying: scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (Auto, text, mixed, printed picture, photograph): N-Up Z-ordering; content orientation; collation; booklet; ID scan; job build; job storage, watermark; stamps; book mode scans; erase edges; automatically detect color/monochrome; image preview; image Shift; Paper Selection; collate; Blank Page Suppression; Auto Orientation; Auto Tone; Crop to page; Multi-feed Detection; Reverse and Retry. Document Editing; Auto P. Color Removal; Job Separation; Automatically Straighten;	Maximum number of copies	Up to 9999 copies						
Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (Auto, text, mixed, printed picture, photograph); N-Up Z-ordering; content orientation; collation; booklet; ID scan; job build; job storage; watermark; stamps; book mode scans; erase edges, automatically detect color/monochrome; image preview; Image Shift; Paper Selection; collate; Blank Pape Suppression; Auto Orientation; Auto Tone; Crop to page; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Pace Color Removal; Job Separation; Automatically Straighten;  Fax speed  Up to: 33.6 kbps / Letter: 3 sec per page  Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard); 203 x 98 dpi  Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwardin supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: No Fax forwardin supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes Remote retrieval capability supported: No Telephone handset supported: No Telep	Onier resize							
Z-ordering; content orientation; collation; booklet; ID scan; job build; job storage; watermark; stamps; book mode scans; erase edges; automatically detect color/monochrome; image preview; image Shift; Paper Selection; collate; Blank Page Suppression; Auto Orientation; Auto Tone; Crop to page; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Pic Color Removal; Job Separation; Automatically Straighten;  Fax speed  Up to: 33.6 kbps / Letter: 3 sec per page  Fax resolution  Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi  Fax Features  Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing; Yes Fax delayed sending; No Distinctive ring detection supported: No Fax forwardin supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes Remote retrieval capability supported: No Junk barrier supported: No Fax forwardin supported: Yes Dil to receive only) Fax telephone mode supported: No Junk barrier supported: No Fax forwardin supported: Yes Remote retrieval capability supported: No Telephone handset supported: No Standard connectivity  1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 Supe	•			hl\\\\\\\\				
Fax resolution  Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi  Fax Features  Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing; Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwardin supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum spe dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No Standard connectivity  1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 S	copiei settings	Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (Auto, text, mixed, printed picture, photograph); N-Up; I Z-ordering; content orientation; collation; booklet; ID scan; job build; job storage; watermark; stamps; book mode scans; erase edges; automatically detect color/monochrome; image preview; Image Shift; Paper Selection; collate; Blank Page Suppression; Auto Orientation; Auto Tone; Crop to page; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Pag Color Removal: Job Separation: Automatically Straighten:						
Fax resolution  Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi  Fax Features  Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum specialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No Standard connectivity  Network capabilities  Standard (built-in GIGABIT 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 Sup	Fax speed							
Fax Features  Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwardin supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum specialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No Standard connectivity  1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 S	Fax resolution							
Standard connectivity 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpee	Fax Features	Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax ploing supported: Yes Fax ploing supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed						
Network capabilities  Standard (built-in GIGABIT 10/100/1000T Ethernet)  Optional, enabled with purchase of a hardware accessory  Mobile printing capability  Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; HP Roam; NFC Touch-to-print (optional); PrinterOn Print  Memory  Standard:6GB; Maximum:6GB  Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage: Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encrypti Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)  Outy cycle (monthly)  Letter:  Up to 180,000 pages  Up to 200,000 pages (with 8EP60AAE)  A4:  Up to 180,000 pages  Up to 180,000 pages (with 8EP60AAE)  Up to 250,000 pages (with 8EP61AAE)  Up to 250,000 pages (with 8EP61AAE)  Up to 300,000 pages (with 8EP60AAE)  Up to 60,000	Standard connectivity			• • • • • • • • • • • • • • • • • • • •		**		
Wireless capability Optional, enabled with purchase of a hardware accessory  Mobile printing capability Apple Air Print™; Mopria™ Certified; Wi-Fi® Direct Printing; HP Roam; NFC Touch-to-print (optional); PrinterOn Print  Standard:G6B; Maximum:6GB  Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage: Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encrypti Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)  Outy cycle (monthly)  Letter: Up to 180,000 pages Up to 200,000 pages (with 8EP60AAE)  A4: Up to 180,000 pages Up to 180,000 pages (with 8EP60AAE)  Up to 250,000 pages (with 8EP61AAE)  Up to 250,000 pages (with 8EP61AAE)  Up to 300,000 pages (with 8EP60AAE)  Up to 500,000 pages (with 8EP60AAE)  Up to 60,000	•							
Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; HP Roam; NFC Touch-to-print (optional); PrinterOn Print  Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; HP Roam; NFC Touch-to-print (optional); PrinterOn Print  Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; HP Roam; NFC Touch-to-print (optional); PrinterOn Print  Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; HP Roam; NFC Touch-to-print (optional); PrinterOn Print  Ademory  Standard:6GB; Maximum:6GB  Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage: Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryptic secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)  Duty cycle (monthly)  Letter:  Up to 180,000 pages  Up to 200,000 pages (with 8EP60AAE)  Up to 250,000 pages (with 8EP61AAE)  Up to 300,000 pages (with 8EP60AAE)  Up to 300,000 pages (with 8EP60AAE)  Up to 60,000								
Standard:6GB; Maximum:6GB  Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage: Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryptic Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)  Duty cycle (monthly)  Letter: Up to 180,000 pages								
Processor speed  Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage: Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryptic Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)  Duty cycle (monthly)  Letter:  Up to 180,000 pages  Up to 200,000 pages (with 8EP60AAE)  Up to 200,000 pages (with 8EP61AAE)  Up to 250,000 pages (with 8EP62AAE)  Up to 300,000 pages (with 8EP61AAE)  Up to 300,000 pages (with 8EP60AAE)  Up to 300,000 pages (with 8EP60AAE)  Up to 500,000 pages (with 8EP60AAE)  Up to 500,000 pages (with 8EP60AAE)		Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; HP Roam; NFC Touch-to-print (optional); Printer0n Print						
Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)   Duty cycle (monthly)	Memory	Standard:6GB; Maximum:6GB						
Letter   Op to 180,000 pages   8EP60AAE   8EP61AAE   8EP61AAE   8EP62AAE	Processor speed	Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage: Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)						
Recommended monthly page Up to 60,000	Duty cycle (monthly)	Letter:	Up to 180,000 pages					
		A4:	Up to 180,000 pages					
		Up to 60,000						

## Technical specifications

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 50 envelopes; Input Capacities, Max:
	Up to 6,140 sheets; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy
	111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP
	Glossy 200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Color Transparency, Labels,
	Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored
Media weight supported	Tray 1, 2, 3: 16 to 86.5 lb bond
Media sizes supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8,10 x 15, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2:
	Letter, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8,10 x 15, envelope #9, Envelope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 120:130, 10, 120:130
Madia Cinea Custom	12 x 18, 8k, 16k
Media Sizes Custom	Tray 1: 3.86 x 5.5 to 12.59 x 18 in; Tray 2: 3.86 x 5.5 to 9.5 x 11.69 in; Tray 3: 5.5 x 7.17 to 12.59 x 18 in
What's in the box	5QK08A In box materials ; Guide install, Flyer Regulatory, Power Cords, Keyboard/Overlay for Z model, Label, Drums.
Replacement cartridges <sup>4</sup>	HP Black Managed LJ Toner Cartridge (ISO Yield 50,000) W9170MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 45,000) W9171MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 45,000) W9172MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9173MC
Product dimensions	Wxdxh: 638.8x745.9x933.9 mm; 25.2x29.4x36.8 in Maximum: 1656.7x1301x1503.9 mm; 65.2x51.2x59.2 in
Product weight	104.6 kg; 230.6 lb
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to
• • •	hp.com/support to learn about HP award winning service and support options in your region.
Energy star certified	Yes
Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)
Software included	No software solutions are included in the box, only on http://hp.com http://123.hp.com
Compatible operating	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey
systems	
Compatible network	Windows 8; Windows Server; Linux; Citrix; UNIX
operating systems	
Minimum system	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB
requirements	available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 100 to 127VAC 50/60Hz, 110 to 127VAC 50/60Hz, 220 to 240VAC 50/60Hz
	(Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 820 watts (40ppm, printing), 890 watts (50ppm, printing),
	1020 watts (60ppm, printing), 1100 watts (70ppm, printing), 41.5 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)
Acoustics	Acoustic power emissions: 6.70 Bel(A), printing color simplex A4 at 40ppm; 6.75 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at
	60ppm; 7.00 Bel(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active, printing): 52dB(A), printing color simplex A4 at 40ppm; 53dB(A), printing
	color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 60ppm; 55dB(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active scan):
	54dB(A), ADF scan A4 at 90ipm; 59dB(A), ADF scan A4 at 150ipm
Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20
	to 80% RH; <b>Recommended humidity operating range</b> : 20 to 80% RH

#### **Messaging Footnotes**

- 1 HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800–193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/Printers ThatProtect. For more information, visit: http://www.hp.com/go/PrinterSecurity/Claims.

  2 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Measured using standards found at: http://standards.iso.org/ittf/PubliclyAvailableStandards/SC28\_Test\_Pages/
- 3 Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.

  4 HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit http://www.hp.com/wolfsecurity.

  5 Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf .

- 6 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.
  7 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See http://www.hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic. 

  8 HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label quidelines.
- <sup>9</sup> HP printer, HP paper and Original HP supply Blue Angel DE-UZ 219 Emissions Criteria.

#### Technical Specifications Footnotes

- <sup>1</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

  Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

- <sup>3</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

  <sup>4</sup> Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.















