

HP Color LaserJet Enterprise Flow MFP X677z Printer

76H09A

Transform your workflows with advanced capabilities in a compact footprint. Customizable configurations from print speeds to color panels help to meet the needs of busy workgroups. All while protecting your business against evolving security threats.

Active between

Feb 28, 2023 - Nov 30, 9998

List Price \$ 11,147.31

<u>Additional Price Information</u> →



Overview

Customizable and scalable solutions.

Expand device functionality and performance with upgradeable options through any point while in contract. Get the functionality you need with input options to help optimize your device to meet your business needs and your budget. Choose storage options to handle data and documents stored on the device.

Fast and seamless digitization

Customize your print experience with cloudconnected HP Workpath apps. Access personalized content and integrate paper and digital workflows.[1] Give your team the tools to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions, and card reader support. Make color management simple with HP Custom Color Manager. Match color output of any document-device combination by simply pulling color profiles from the cloud. Get high-quality color profiles without the hassle of expensive color matching systems .[9]

Everything you expect from an office printer

Experience ultra-fast scanning speeds and ultimate productivity with HP Flow technology and up to 200 ipm[3] duplex scan technology Busy work groups can get everything done with fast print speeds of up to 65 PPM[4] setting the pace to handle any workload with reliable quality. HP's innovative in-line scan bar in an A4 printer helps to diagnose print quality issues with accurate remediation steps.

Always on guard with HP Wolf Security

With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised. HP Connection Inspector examines network connections. The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear. Memory ShieldTM and expanded run-time intrusion detection protects memory and other applications. Common Criteria



certified[7] to continually monitor memory activity, detect and stop zero-day attacks in real time [known/unknown] and self-heal.

Specifications

Acoustic power emissions (active scan)

7.0 B(A)

Acoustic power emissions

(active, printing)

6.6 B(A)

Acoustic power emissions

(ready)

3.4 B(A)

Acoustic power note

Acoustic values are subject to change. For current information see https://www.hp.com/support.

Configuration tested: worst case configuration, simplex printing, A4 paper at an average of 62 ppm.

Acoustic pressure

emissions bystander (active

scan)

58 dB(A)

Acoustic pressure

emissions bystander

53 dB(A)

(active, printing)

Acoustic pressure

emissions bystander

(ready)

18 dB(A)

ADF Capacity

Up to 150 sheets

Auto fax reduction

supported

Yes

Automatic document

feeder capacity

Standard, 150 sheets

Automatic paper sensor

Yes

Bit depth

24-bit

Blue Angel compliant

Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies

Blue Angel footnote

[8] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value

typically based on measurement of 115V device and 230V for Blue Angel.

Bottom margin (A4)

4.3 mm



Capacity 500 GB UL/cUL (US/Canada); RCM (Australia); TUV and GS Mark (Germany); Department of Industrial Standards of Cambodia; Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs -Certifications and BSMI (Taiwan); Certificate of China Compulsory Product Certification - CCC (China); Bureau of Indian compliances Standards - BIS Registration (India); PSB (Singapore); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries. Color scanning Yes Compatible Network Citrix; Linux; Novell; UNIX; Windows Server Operating Systems Compatible Operating Android; iOS; Windows 11; Windows 10; Windows Client OS; macOS 12 Monterey; macOS 11 Big Sur; Systems macOS 10.15 Catalina; Linux; SAP; Chrome OS Component type Printer HP Color LaserJet Enterprise Flow MFP X677z Printer - Print: Up to 55 ppm black & 55 ppm color (letter); Up to 52 ppm color & 55 ppm black (A4); with optional speed license, print up to 65 ppm black & 65 ppm color (letter); Up to 61 ppm color & 65 ppm black (A4); 100 ppm/200 ipm duplex, single-pass, dual-head scanning ADF; 650-sheets standard/2,750-sheets maximum paper input; 1k paper output, Configurable items single position, inner-staple finisher, 10.1 in (25.6 cm) color touch screen control panel; Up to 30,000 pages per month duty cycle; 6 GB RAM standard/maximum, 500 GB hard disk storage; Gigabit Ethernet with optional Dual-band Wireless, Wifi-Direct and BLE; 9k black/5k CMY starter toner cartridges Connectivity, optional HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Connectivity, standard Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host) Control panel 10.1 in (25.6 cm) touchscreen with color graphics Copier scaling (ADF) 25 to 200% Book Copy; Booklet; Build Job; Collation; Color; Content orientation; Copy preview; Darkness control; Default Original Size; Edge Erase; Edge-to-Edge; ID Copy; Image adjustment; Job build; N or Z-ordering; Number of Copies; N-up; Original Size; Original Type; Paper Size; Paper Source; Paper type; Photo; Copier settings Save Current Settings; Staple; Text; Text/Photo; Tray Selection; Two-sided copy; Watermark; reduce/enlarge; Scan mode (book, 2-sided ID); Stamps; Image overlay; Image shift; Image preview; Paper selection; Scan to job storage; Automatically strainghten; Automatically detect color/monochrome; Auto tone; Multi-feed detection; Document editing; Auto paper color removal Copier smart software Auto scale; Reduce/enlarge from scanner glass (25 to 400 percent); Collate; Auto color detection; Twofeatures sided copying; Image adjustments (darkness, background cleanup, sharpness); Job build Up to 9999 copies Copies, maximum

Copy resolution (black text)

Copy reduce / enlarge

settings

Up to 600 x 600 dpi

25 to 400%

Copy resolution (color text Up to 600 x 600 dpi and graphics) Copy speed (black, normal Up to 52 cpm; Up to 61 cpm (with 49K94AAE) quality, A4) Copy speed (color, normal Up to 52 cpm; Up to 61 cpm (with 49K94AAE) quality, A4) Copy speed black (normal, Up to 55 cpm; Up to 65 cpm (with 49K94AAE) letter) Copy speed black duplex Up to 52 ipm; Up to 61 ipm (with 49K94AAE) (A4)Copy speed black duplex Up to 55 ipm; Up to 65 ipm (with 49K94AAE) (Letter) Copy speed color (normal, Up to 55 cpm; Up to 65 cpm (with 49K94AAE) letter) Copy speed color duplex Up to 52 ipm; Up to 61 ipm (with 49K94AAE) (A4)Copy speed color duplex Up to 55 ipm; Up to 65 ipm (with 49K94AAE) (Letter) First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see Copy speed note https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application and document complexity. Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to color/monochrome; high compression PDF; image adjustments (darkness, contrast, background Digital sending standard cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content features page suppression; automatically straighten; embedded OCR; optimize text/picture (auto); scan to

sFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank multi-destination; automatic tone; auto orientation; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps

Display 10.1 in (25.6 cm) Color Graphic Display (CGD) with touchscreen; rotating (adjustable angle)

Display area (imperial) 8.53 x 5.34 in

Distinctive ring detection supported

No



From https://123.hp.com-HP Easy Start (Guided Software Install for Windows and Mac) From https://hp.com for Windows OS- Full-solution software and drivers; Basic-solution software and drivers; HP PCL6 XPS Discrete Print Driver; Product Documentation and Support; From https://hp.com for Mac OS-; HP Mac OS Print Driver; HP Easy Admin; HP Universal Fax Driver; HP Universal Scan Solution; For Mobile OS-; iOS For more information see https://hp.com/go/businessmobileprinting; Android For more information see https://hp.com/go/businessmobileprinting; From http://hp.com for printer administrators-; Printer Administrator Resource Kit (Driver Configuration; Utility - Driver Deployment Utility - Managed Printing Administrator); HP Universal Print Drivers PCL6 GDI & PS GDI for Windows For more information on the supported operating systems go to https://support.hp.com; SAP Print Drivers for more information see https://support.hp.com/us-en/document/c05051702; HP Web JetAdmin; Printer Driver for more information see https://hplipopensource.com/hplipweb/index.html; Unix Model Script Printer Driver For more information on the supported operating systems go to https://support.hp.com; Enter your product name and search; Click on User Guides and enter your product name and search for User Guide; Search for your (Product Name) - User Guide; Search for the Supported Operating Systems section; Supported Operating systems; For more

Downloadable software

Driver updates

Current HP printer drivers and software can be obtained from the HP Customer Care Web site: Go to https://www.hp.com/support/ (country/region may need to be selected) Select "Support" Select "Software and Drivers"; Select "Printer"; Enter a product name/number; (The operating system is automatically detected); Select a driver or other software; Select "Download" for the software desired;

information on the supported operating systems also see www.hp.com/go/upd; HP Smart Suite- Basic (Only supported on Windows 10 and above); HP Smart Suite- Advanced (Only supported on Windows

PrintScanDr; HP WebJetAdmin + Workpath; HP Command Center; Chrome Extension; Android Plug-in;

10 and above); HP SmartApp (Only supported on Windows 10 and above); HP SmartDriver; HP

Duplex ADF scanning Yes

Duplex printing Automatic

Duty cycle (monthly, A4) Up to 180,000 pages

Duty cycle (monthly, letter) Up to 180,000 pages

Ecolabels CECP; IT ECO Declaration; Blue Angel; EPEAT® Gold registered; SEPA; KOECO

Ecolabels footnote [3] EPEAT® registered where applicable. EPEAT registration varies by country. See

https://www.epeat.net for registration status by country.

CISPR 22:2008 (International) Class A, CISPR 32:2015 (International) Class A / EN 55032:2015 Class A + Electromagnetic

A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-compatibility

3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class A, ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries.

technology

HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy; Power save

Energy star certified Yes

Engine life 500000

Enhanced scanning

Energy savings feature

resolution

Up to 600 dpi

Envelope Feeder No Fax Auto Redial Yes Fax Broadcast Locations 0 Fax delayed sending No Fax forwarding Yes (with optional analog fax accessory) Fax memory Up to 1000 pages Fax PC Interface Supported Yes Fax phone TAM interface No supported Fax Polling Yes (poll to receive only) Fax Remote Retrieval Yes Fax resolution black Up to 203 x 196 dpi Fax Resolution Black (best) Up to 300 x 300 dpi Fax smart software Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax features number confirmation; Holiday fax schedule Fax Speed Dials, Maximum Up to 1000 numbers Number Fax telephone mode No supported Fax Transmission Speed Up to 33.6 kbps (with optional analog fax accessory) Fax transmission speed 3 sec per page (letter) Fax Transmission Speed [4] Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory. Faxing Optional FCC Class A emissions FCC Class A emissions - for use in commercial environments, not residential environments

File Format Supported

(OCP): Searchable PDE/A (OCP): TEST (OCP): TIES: Unicode TEST (OCP): YPS

(OCR); Searchable PDF/A (OCR); TEXT (OCR); TIFF; Unicode TEXT (OCR); XPS

CSV (OCR); Hi-Compression PDF; HTML (OCR); JPG; MTIFF; PDF; PDF/A; RTF (OCR); Searchable PDF

Finished output handling Input: Sheet fed; Output: Staple; Stack; Job Offset

First copy out black (A4, sleep)	As Fast as 10.2 sec; As fast as 9.7 sec (with 49K94AAE)
First copy out black (A4)	As fast as 5.3 sec; As fast as 5.1 sec (with 49K94AAE)
First copy out black (letter, sleep)	As Fast as 10 sec; As fast as 9.2 sec (with 49K94AAE)
First copy out black (letter)	As fast as 5.2 sec; As fast as 5.0 sec (with 49K94AAE)
First copy out color (A4, sleep)	As Fast as 11.2 sec; As fast as 10.2 sec (with 49K94AAE)
First copy out color (A4)	As fast as 6.2 sec; As fast as 6.0 sec (with 49K94AAE)
First copy out color (letter, sleep)	As fast as 11 sec; As fast as 9.8 sec (with 49K94AAE)
First copy out color (letter)	As fast as 6.1 sec; As fast as 5.9 sec (with 49K94AAE)
First page out black (A4, ready)	As fast as 6.6 sec; As fast as 6.5 sec (with 49K94AAE)
First page out black (A4, sleep)	As fast as 9.8 sec; As fast as 9.5 sec (with 49K94AAE)
First page out black (letter, ready)	As fast as 6.5 sec; As fast as 6.4 sec (with 49K94AAE)
First page out black (letter, sleep)	As fast as 9.6 sec; As fast as 9.4 sec (with 49K94AAE)
First page out color (A4, ready)	As fast as 7.4 sec; As fast as 7.1 sec (with 49K94AAE)
First page out color (A4, sleep)	As fast as 10.2 sec; As fast as 10.1 sec (with 49K94AAE)
First page out color (letter, ready)	As fast as 7.3 sec; As fast as 6.9 sec (with 49K94AAE)
First page out color (letter, sleep)	As fast as 10.1 sec; As fast as 10.0 sec (with 49K94AAE)
First page out footnote	[7] Measured using ISO/IEC 17629. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at https://www.hp.com/go/laserjetfonts



Functions Print, copy, scan, fax (optional)

Input capacity Up to 650 sheets

Internal Storage Standard, minimum 500 GB HDD; Optional, 256 GB SSD

Junk fax barrier Yes, up to 30 numbers may be blocked

Left margin (A4) 4.3 mm

Levels of grayscale 256

Mac compatible Yes

One-year, next-business day, onsite warranty. Warranty and support options vary by product, country Manufacturer Warranty and local legal requirements. Go to https://hp.com/support to learn about HP award winning service and support options in your region.

Maximum Input Capacity (envelopes)

Up to 10 envelopes

Maximum input capacity

(sheets)

Up to 2750 sheets

Maximum Memory 6 GB

Maximum output capacity

Media size, tray 3

(sheets)

Up to 1000 sheets

Maximum print area 207.4 x 1191.4 mm

Letter; legal; oficio; executive; statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard Media size (ADF)

(JIS); 4 x 6 in; 5 x 7 in; 5 x 8 in; 68 x 147 mm to 215.9 x 863.6 mm; 2.68 x 5.79 in to 8.46 x 34 in

A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio 216 x 340, 16k, Postcard (JIS), DPostcard (JIS), Envelopes (DL, Media size, tray 1

C5, B5, C6); custom 64 x 127 to 216 x 1200 mm

A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio 216 x 340, 16k, DPostcard (JIS); custom 101 x 148 to 216 x 356 Media size, tray 2

mm

optional 1x550-sheet feeders: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio 216 x 340, 16k, DPostcard (JIS);

custom 101 x 148 to 216 x 356 mm; optional 2,100-sheet high-capacity feeder: A4; A5 (with optional

accessory)

Tray 1: letter, legal, executive, statement, Oficio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No.

10, Monarch); Tray 2, optional 1x550-sheet feeders: letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x Media sizes supported

7 in, 5 x 8 in; optional 2,100-sheet high-capacity feeder: letter, legal; statement (with optional

accessory)

Media sizes supported, key Letter; Legal

Tray 1: 2.52 x 5 to 8.5 x 47.24 in; Tray 2, optional 1x550-sheet feeders: 4 x 5.83 to 8.5 x 14 in; optional Media sizes, custom

2,100-sheet high-capacity feeder: custom sizes not supported in this tray

Media type and capacity, Sheets: 150 **ADF** Media type and capacity, Paper: 100 sheets of 75 g/m² media; Envelopes: 10 tray 1 Paper (plain, light, intermediate, light bond, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, Media types envelope, preprinted, prepunched, colored, rough, opaque film, user-defined Media weight (tray 1) 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy) Media weight (tray 2) 60 to 220 g/m² (plain); 120 to 220 g/m² (glossy) 1x550-sheet feeders: 60 to 220 g/m² (plain); 120 to 220 g/m² (glossy); 2,100-sheet high capacity input: Media weight (tray 3) 60 to 220 g/m² (plain) Paper (plain, light, intermediate, light bond, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy Media weight, supported glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined Media weights, supported 12 to 53 lb **ADF** Memory 6 GB Memory Slots None Minimum System 2 GB available hard disk space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Requirements Minimum System 2 GB available hard drive space; Internet connection; or USB port; Internet browser. For additional OS Requirements for hardware requirements see apple.com; Macintosh Mobile printing capability HP ePrint; Apple AirPrint™; Mopria™ Certified; Roam optional; NFC Touch-to-print (optional) Modem 33.6 kbps (with optional analog fax accessory) Native scan file format PDF; JPG; TIFF; MTIFF Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, Network capabilities 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional)

Network protocols, supported

Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x



4 toner cartridges (1 each for black, cyan, magenta, yellow); 4 drum units (1 each for black, cyan, Number of print cartridges magenta, yellow) Number of users Over 25 Users Operating humidity range 10 to 80% RH Operating system Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see (supported note) Operating temperature 50 to 91°F range HP W9280MC Black Managed Original LaserJet Imaging Drum (~150,000 pages); HP W9281MC Cyan Managed Original LaserJet Imaging Drum (~150,000 pages); HP W9282MC Yellow Managed Original LaserJet Imaging Drum (~150,000 pages); HP W9283MC Magenta Managed Original LaserJet Imaging Drum (~150,000 pages); HP LaserJet 110V Enhanced Fuser Kit 527G2A; HP LaserJet 220V Enhanced Fuser Kit 527G3A; HP LaserJet Managed 110V Enhanced Fuser Kit 527G4MC; HP LaserJet Managed Orderable supplies 220V Enhanced Fuser Kit 527G5MC; HP LaserJet Managed Image Transfer Belt Kit 527H0MC; HP LaserJet Managed Transfer Roller Kit 527H1MC; HP LaserJet Tray 2 Roller Kit 527H2A; HP LaserJet MP Tray Roller Kit 527H3A; HP LaserJet ADF Maintenance Kit 6H122A; HP LaserJet ADF Flow Maintenance Kit 6M1P3A; HP LaserJet Toner Collection Unit 527F9A; HP Staple Cartridge Refill (5,000 staples) J8J96A Output capacity Up to 1000 sheets Page yield (set-up/inbox ~9,000 pages black, ~5,000 pages cyan, magenta, yellow composite yield cartridges) Paper handling input, optional 550-sheet input trays (up to 2), optional 2,100-sheet high capacity input optional Paper handling input, 550-sheet input tray, 100-sheet multi-purpose tray standard Paper handling output, Up to 3300 sheets; Staple; Stack; Job Offset; Punch; Booklet Staple; Convenience Stapler standard Paper trays, maximum Up to 4 Paper trays, standard 2 Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 12 A; Input voltage: 220 V to Power 240V nominal, (+/-10%) 50 - 60Hz nominal (+/- 3Hz), 6 A 816 watts (Printing/Copying), 63.4 watts (Ready), 1.1 watts (Sleep), 0.1 watts (Auto Off/Manual On), 0.1 Power consumption watts (Manual Off) Power requirements are based on the country/region where the printer is sold. Do not convert Power consumption Note operating voltages. This will damage the printer and void the product warranty. Built in 110V or 220 V Power Supply (not dual voltage, power supply varies by part number with option Power supply type

code identifier)

Print colors	Yes
Print languages	HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™
Print quality black (best)	Up to 1,200 x 1,200 dpi
Print quality black (normal)	Up to 600 x 600 dpi
Print quality color (best)	Up to 1200 x 1200 dpi
Print resolution black (fine lines)	Up to 1200 x 1200 dpi
Print resolution color (fine lines)	Up to 1200 x 1200 dpi
Print resolution color (normal)	Up to 600 x 600 dpi
Print Resolution Technologies	HP ImageREt 4800, Fine Lines (1200x1200 dpi), Quickview (300x300 dpi)
Print speed	Print speeds up to 55 ppm (black) and 65 ppm (color); with optional speed license, print up to 65 ppm (black and 65 ppm (color)
Print speed black (ISO, A4)	Up to 52 ppm; Up to 61 ppm (with 49K94AAE)
Print speed black (ISO, letter)	Up to 55 ppm; Up to 65 ppm (with 49K94AAE)
Print speed black (Landscape, A5)	Up to 84 ppm; Up to 99 ppm (with 49K94AAE)
Print speed black (Portrait, A5)	Up to 72 ppm; Up to 85 ppm (with 49K94AAE)
Print speed color (ISO)	Up to 55 ppm; Up to 65 ppm (with 49K94AAE)
Print Speed Color (ISO)	Up to 52 ppm; Up to 61 ppm (with 49K94AAE)
Print speed color (Landscape, A5)	Up to 84 ppm; Up to 99 ppm (with 49K94AAE)
Print speed color (Portrait, A5)	Up to 72 ppm; Up to 85 ppm (with 49K94AAE)
Print speed duplex (A4)	Up to 52 ipm; Up to 61 ipm (with 49K94AAE)

Print speed duplex (letter) Up to 55 ipm; Up to 65 ipm (with 49K94AAE)

[6] Measured using ISO/IEC 24734, excludes first set of test documents. For more information see Print speed footnote https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

[5] Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For Print speed footnote (A5)

more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the

system configuration, software application, driver, and document complexity.

Print speed footnote number (A5)

[5]

Print Technology Laser

Print technology Laser

Printer black pages (MPV

black)

2700

Printer color pages (MPV

color)

1800

Printer Management

HP Web JetAdmin; Embedded Web Server; HP Security Manager; HP Insights; HP Advance; HP

Managed Original LaserJet Imaging Drum (~150,000 pages)

Command Center; HP Smart Device Services (SDS); HP Smart Device Services (SDS)

Printer smart software features

Apple AirPrint[™], Mopria-certified, HP ePrint, ROAM optional for easy printing, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off technology, Easy Access USB, Two-Sided Printing, Hardware Integration Pocket, Intuitive 10.1 in (25.6 cm) touchscreen control panel, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, print preview

Processor speed 1.6 GHz

Recommended media weight (duplex)

16 to 90 lb (plain); 32 to 58 lb (glossy)

Recommended monthly

page volume

Up to 30,000 pages

Recommended operating humidity range

30 to 70% RH

Recommended operating temperature range

59 to 80.6°F

Registration required

No

W9270MC HP W9270MC Black Managed Original LaserJet Toner Cartridge (~44,000 pages); W9271MC HP W9271MC Cyan Managed Original LaserJet Toner Cartridge (~33,000 pages); W9272MC HP W9272MC Yellow Managed Original LaserJet Toner Cartridge (~33,000 pages); W9273MC HP W9273MC Magenta Managed Original LaserJet Toner Cartridge (~33,000 pages); W9280MC HP W9280MC Black Managed Original LaserJet Imaging Drum (~150,000 pages); W9281MC HP W9281MC Cyan Managed Original LaserJet Imaging Drum (~150,000 pages); W9282MC HP W9282MC Yellow Managed Original LaserJet Imaging Drum (~150,000 pages); W9283MC HP W9283MC Magenta

Replacement cartridges



Scan speed duplex (normal,

letter)

Replacement cartridges [2] Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably footnote based on images printed and other factors. For details see https://www.hp.com/go/toneryield Resolution 600 dpi Resolution (black and white, 200 x 100 dpi standard mode) Resolution (black and white, Up to 300 x 300 dpi superfine mode) Resolution (black photo 300 x 300 dpi (halftone) grayscale) Right margin (A4) 4.3 mm RMN number BOISB-2002-02 IEC 60950-1:2005 +A1:2009 +A2:2013 (International); IEC 62368-1:2014; EN 62368-1:2014(EU); EN 60825-1:2014 +A11:2021/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; IEC 62471:2006 / EN 62471:2008; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate Safety (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); UL62368-1 2nd Ed. 2014-12-01, CSA C22.2 No. 62368-1-14, 2nd Ed.; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 56, Dated May 8, 2019; Other safety approvals as required by individual countries. Scan file format PDF; Hi-Compression PDF; PDFA; JPEG; TIFF; XPS [11] For Scan Software (included in the box) we support; Windows [JPG, RAW (BMP), PDF, TIFF, PNG, RTF] Scan file format footnote and MAC [JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT] Front Panel Applications: Copy; E-Mail; FAX; Save to Network Folder; Save to USB; Save to Device Scan input modes Memory; Open Extensibility Platform (OXP) Applications, HP Workpath Applications Scan resolution, hardware Up to 600 x 600 dpi Scan resolution, optical Up to 600 x 600 dpi Scan size (ADF), maximum 8.5 x 34.0 in Scan size (ADF), minimum 2.7 x 5 in Scan size, maximum 8.5 x 14 in Up to 95 ppm/190 ipm (b&w), up to 95 ppm/190 ipm (color); Up to 95 ppm/190 ipm (b&w), up to 95 Scan speed (normal, A4) ppm/190 ipm (color) (with 49K94AAE) Up to 100 ppm/200 ipm (b&w), up to 100 ppm/200 ipm (color); Up to 100 ppm/200 ipm (b&w), up to 100 Scan speed (normal, letter) ppm/200 ipm (color) (with 49K94AAE)

Up to 200 ipm (b&w), up to 200 ipm (color); Up to 200 ipm (b&w), up to 200 ipm (color) (with 49K94AAE)



Tariff numbers

[10] Scan speeds measured from ADF. Actual processing speeds may vary depending on scan Scan speed footnote resolution, network conditions, computer performance, and application software. Scan technology Charge Coupled Device (CCD) Flatbed; Contact Image Sensor (CIS) ADF Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; Scanner advanced features HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone; Onscreen editing with highlighting, redaction and signature capabilities Scanner type Flatbed; ADF Security HP Access Control; HP card readers; HP Security Manager; HP Advance; HP Secure Print and Insights Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Security management Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory ShieldTM with Control Flow Integrity (CFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs Software included No software solutions are included in the Box only on http://hp.com http://123.hp.com; For Scan Software (included in the box) we support; Windows [JPG, RAW (BMP), PDF, TIFF, PNG, RTF] Software scan file format and MAC [JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT] Standard media sizes Letter; Legal; Executive; Oficio (8.5 x 13 in); Statement (duplex, imperial) Standard media sizes A4; A5; B5 (JIS); RA4; 16K; Oficio (216 x 340 mm) (duplex) Storage 500 GB hard disk drive Storage device and direct Wi-Fi Direct; USB Printing; Front-facing USB/Flash drive; Walk-up USB printing print support Storage temperature range -4 to 104°F Supplies feature TerraJet Cartridge Sustainable impact 15% post-consumer recycled plastic; ENERGY STAR® certified; EPEAT® registered specifications Target user and print For teams over 25 users; Prints up to 30,000 pages/month volume

8443310000(AM-Base-HTS); 8443310000(EU-Base-HTS); 84433121(AP-Base-HTS)



Technical features

Automatic document feeder; Automatic 2-sided printing; Bluetooth printing; Cloud-based fleet management; Color touchscreen with apps; ENERGY STAR®; Network printing; Fast first page out; Full ream of paper input; Google Cloud Print; HP Auto-on/Auto-off; TerraJet Toner; Private Print via PIN; Scan-to-cloud; Scan-to-email; Scan-to-folder; Touchscreen; Walk-up USB; Optional Fax

Telephone handset

supported

No

Top key features

Flow; Touchscreen; Stapling; TerraJet cartridge

Top margin (A4)

4.3 mm

Tray capacity

Up to 3300 sheets

Twain version

Version 2.4

Typical electricity

consumption (TEC) footnote

[9] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

Typical electricity

consumption (TEC) number

0.849 kWh/week (Energy Star 3.0); 0.810 kWh/week (Blue Angel)

UNSPSC code


43212110


What's in the box

HP Color LaserJet Single-function Printer; HP Black Managed Original LaserJet Toner Cartridge (~9,000 yield), HP Cyan, Magenta and Yellow Managed Original LaserJet Toner Cartridges (~5,000 yield each) (toner cartridges installed); HP Black, Cyan, Magenta and Yellow Managed Original LaserJet Imaging Drums (~150,000 pages); Documentation (Hardware Install Guide); Power cord; Tray Lock Kit (Paper-size cassette locks, paper tray interface screws, P-cartridge door access control screws)

Accessories

Active







	HP Color LaserJet Aurora Purple 550 sheet Paper Tray	65A30A	Active
	HP Color LaserJet Aurora Purple 2100 sheet High Capacity Paper Tray/Stand	65A35A	Active
	HP Color LaserJet 2100 HCI Feeder and Stand	6QN58A	Active
	HP Color LaserJet Comet Red 550 sheet Paper Tray	65A31A	Active
	HP Color LaserJet Cosmic Green 2100 sheet High Capacity Paper Tray/Stand	65A34A	Active
	HP Color LaserJet 550-sheet Media Tray	6QN57A	Active
	HP Color LaserJet Cosmic Green 550 sheet Paper Tray	65A29A	Active
	HP Color LaserJet Constellation Yellow 550 sheet Paper Tray	65A28A	Active
	HP Color LaserJet Lunar Gray 550 sheet Paper Tray	65A32A	Active
	HP Color LaserJet Constellation Yellow 2100 sheet High Capacity Paper Tray/Stand	65A33A	Active
	HP Color LaserJet Lunar Gray 2100 sheet High Capacity Paper Tray/Stand	65A37A	Active
Staple Cartrid	ges (1)		^
	HP Staple Cartridge Refill	J8J96A	Active
Printer Accessor			^
Printer Accessor LaserJet Option	ies (11)		^
	ies (11)	65A39A	
	ies (11) ns (11)	65A39A 616H0A	^
	ies (11) ns (11) HP Color LaserJet Cosmic Green Storage Stand		Active
	ies (11) ns (11) HP Color LaserJet Cosmic Green Storage Stand HP LaserJet Statement HCl Guide Kit	616H0A	Active
	ies (11) ns (11) HP Color LaserJet Cosmic Green Storage Stand HP LaserJet Statement HCl Guide Kit HP Color LaserJet Constellation Yellow Storage Stand	616H0A 65A38A	Active Active Active
	ies (11) ns (11) HP Color LaserJet Cosmic Green Storage Stand HP LaserJet Statement HCl Guide Kit HP Color LaserJet Constellation Yellow Storage Stand HP LaserJet Workflow Accelerator Card	616H0A 65A38A 1M0Q5A	Active Active Active
	ies (11) HP Color LaserJet Cosmic Green Storage Stand HP LaserJet Statement HCl Guide Kit HP Color LaserJet Constellation Yellow Storage Stand HP LaserJet Workflow Accelerator Card HP Color LaserJet Aurora Purple Storage Stand	616H0A 65A38A 1M0Q5A 65A40A	Active Active Active Active



HP Color LaserJet Storage Stand	6QN55A	Active
HP 500GB CCC, FIPS Hard Disk Drive	9EQ11A	Active
HP Color LaserJet Lunar Gray Storage Stand	65A42A	Active
HP Color LaserJet Lunar Gray Storage Stand	65A42A	Active

Security and Protection (5)

Smart Cards an	d SmartCard Readers (5)			^
	HP Legic Secure USB Reader	4QL32A	Active	
	HP USB Universal Card Reader	X3D03A	Active	
	HP SmartCard SIPRNet Solution for US Government	F8B30A	Active	
	HP SmartCard NIPRNet Solution for US Government	CC543B	Active	
	HP HIP2 Keystroke Reader	Y7C05A	Active	

Overview

[1] Not all MFPs may be compatible with Workpath apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Not all apps may be available in all locations. Subscription may be required. Personalized content and integration functions are applicable to supported HP Workpath apps only.

- [2] Targeted fusing technology comes standard on the 6000/X600 series bundles and is offered as an optional service part on the 5000/X500 series.
- [3] Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Measured using standards found at: http://standards.iso.org/ittf/PubliclyAvailableStandards/SC28_Test_Pages/
- [4] Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- [5] Reverse and retry technology is only available on Flow-based models.
- [6] HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2022 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: http://www.hp.com/go/printersecurityclaims
- [7] Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf.
- [9] Contact your HP or your Partner Representative to learn more about Custom Color Manager.

Specifications

- [1] For yield information on the cartridge(s) included with your printer, see https://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.
- [2] Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see https://www.hp.com/go/toneryield



- [3] EPEAT® registered where applicable. EPEAT registration varies by country. See https://www.epeat.net for registration status by country.
- [4] Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
- [5] Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- [6] Measured using ISO/IEC 24734, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- [7] Measured using ISO/IEC 17629. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- [8] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel.
- [9] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
- [10] Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- [11] For Scan Software (included in the box) we support; Windows [JPG, RAW (BMP), PDF, TIFF, PNG, RTF] and MAC [JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT]
- [12] Maximum dimensions means doors, paper trays, and ADF (if applicable) are fully open.

Legal disclaimer

Product image may differ from actual product